

Pan America Environmental, Inc. manufactures a wide range of industrial wastewater systems, components with controls and monitoring packages. We are your single source solution for all of your commercial and industrial needs. Scan the QR code beside any product for details on our website.

For information contact one of our knowledgeable support staff today at **262.716.0105**

Treatment Systems			
Categories & Models			
Oil Water Separators			
API Separators		<ul style="list-style-type: none"> - Sizes 5-5000 GPM - API-421 design - 50 - 100mg/L, 150-micron performance - Coated A36 steel or stainless steel - 12 models - Many options and configurations - Highly customizable 	 panamenv.com /qr/api
OSe		<ul style="list-style-type: none"> - Sizes 5-250 GPM - API-421 design - 10mg/L, 30-micron performance - 304/316 SS standard, polypropylene MOC - Flopak coalescing media - 10 models - Many options and configurations - Highly customizable 	 panamenv.com /qr/ose
OS		<ul style="list-style-type: none"> - Sizes 5-5000 GPM - API-421 design - 10mg/L, 30-micron performance - A36 steel, 304/316 SS, polypropylene MOC - Flopak coalescing media - 33 models - Many options and configurations - Highly customizable 	 panamenv.com /qr/os
FB		<ul style="list-style-type: none"> - Sizes 5-5000 GPM - API-421 design - 10mg/L, 30-micron performance - A36 steel, 304/316 SS, polypropylene MOC - Flopak coalescing media - 33 models - Many options and configurations - Highly customizable 	 panamenv.com /qr/fb
OSF		<ul style="list-style-type: none"> - Sizes 5-50 GPM - API-421 design - 10mg/L, 30-micron performance - FRP construction - Flopak coalescing media - 5 models - Many options and configurations - Highly customizable 	 panamenv.com /qr/osf


Systems & Solutions cont'd

Categories & Models

Oil Water Separators

TPI		<ul style="list-style-type: none"> - Sizes 5-5000 GPM - API-421 design - 50mg/L, 60-micron performance - A36 steel, 304/316 SS, polypropylene MOC - Wave plate coalescing media - 33 models - Many options and configurations - Highly customizable 	 panamenv.com/qr/tpi
COS		<ul style="list-style-type: none"> - Sizes 5-250,000 GPM - API-421 design - 10mg/L, 30-micron performance - Concrete, 304/316 SS MOC - Flopak coalescing media - 33 models - Many options and configurations - Highly customizable 	 panamenv.com/qr/cos
GTI		<ul style="list-style-type: none"> - High volume FOG removal - Keeps FOG liquid for skimming & handling - Not a low tech "grease trap" - Disc & rotary skimming - Heated zones maintain FOG in liquid state - Debris screen basket - Many sizes and flow rates - Great for industrial kitchens - Lots of options 	 panamenv.com/qr/gti

Coalescing Media (oil/fuel separation)

Flopak		<ul style="list-style-type: none"> - Variety of media types - MOC: PVC, polypropylene, stainless steel - 10mg/L, 20-30 micron performance - To retrofit or replace existing installations - For new tank/vault installations - High performance designs - Match to temperatures and contaminants - High Ft2 density 	 panamenv.com/qr/flopak
HDQ		<ul style="list-style-type: none"> - Grid plate design - Polypropylene - 10mg/L, 20-30 micron performance - To retrofit or replace existing installations - For new tank/vault installations - High performance designs - Match to temperatures and contaminants - High Ft2 density 	 panamenv.com/qr/hdqpak

Systems & Solutions cont'd

Categories & Models

Coalescing Media (oil/fuel separation) cont'd

TPI		<ul style="list-style-type: none"> - Wave or flat plate media - MOC: FRP, stainless steel - <10-50mg/L, 20-60 micron performance - High solids/oils applications - To retrofit or replace existing installations - For new tank/vault installations - High performance designs - Match to temperatures and contaminants 	 panamenv.com/qr/tpi-media
Retpak		<ul style="list-style-type: none"> - Reticulated foam media - MOC: Urethane - <5mg/L, 20-30 micron performance - Low solids applications - To retrofit or replace existing installations - For new tank/vault installations - High performance designs - High Ft2 density 	 panamenv.com/qr/retpak

Coalescing Media Packs

MP		<ul style="list-style-type: none"> - Flopak/HDQ media - MOC: PVC/polypro, stainless steel - <10mg/L, 20-30 micron performance - To retrofit or replace existing installations - For new tank/vault installations - High performance designs - Match to temperatures and contaminants - High Ft2 density - Highly customizable to fit installations 	 panamenv.com/qr/mp
TPI		<ul style="list-style-type: none"> - Wave or flat plate media - MOC: FRP/PVC, stainless steel - <10-50mg/L, 20-60 micron performance - High solids/oils applications - To retrofit or replace existing installations - For new tank/vault installations - High performance designs - Match to temperatures and contaminants 	 panamenv.com/qr/tpi-pack

Systems & Solutions cont'd

Categories & Models

Coalescing Media Packs cont'd

Retpak		<ul style="list-style-type: none"> - Reticulated foam media - MOC: Urethane, 304 SS frame - <5mg/L, 20-30 micron performance - Low solids applications - To retrofit or replace existing installations - For new tank/vault installations - High performance designs - High Ft2 density 	 panamenv.com/qr/retpak-pack
---------------	---	--	---

Settling Media (solids separation)

SPP Slant Plate Pack	<i>Photo to come</i>	<ul style="list-style-type: none"> - Flow rates 5-2000+ GPM - Flat & corrugated plate - Plate spacings: 3/4", 1", 1.5", 2" - MOC: PVC, CPVC, FRP, 304/316 SS - High temperature capabilities - Increases clarifier performance & throughput - Retrofit existing tanks 	 panamenv.com/qr/spp
TubePak Tube settler	<i>Photo to come</i>	<ul style="list-style-type: none"> - Tube based settling media - Flow rates 5-2000+ GPM - MOC: PVC, CPVC, FRP, 304/316 SS - High temperature capabilities - Increases clarifier performance & throughput - Retrofit existing tanks 	 panamenv.com/qr/tubepak

Screening Systems

Screening Systems	<i>Photo to come</i>	<ul style="list-style-type: none"> - First step in many treatment trains - Removes debris and grit before conditioning, separation & clarification - Contact us for details, drawings & pricing 	 panamenv.com/qr/screening
-----------------------------	----------------------	--	---

Systems & Solutions cont'd

Categories & Models

Slant Plate Clarifiers

<p>SPC Systems</p>		<ul style="list-style-type: none"> - Sizes 5-4000 Ft² - ChemClear & dosing package - Dewatering package - Effluent filtration package - Influent feed package - Sludge pump package - Intell-i-Touch controls/sensing platform - Walkway - Many options and configurations - Highly customizable 	 panamenv.com/qr/spc
<p>SPC-T type</p>		<ul style="list-style-type: none"> - Sizes 100-4000 Ft² - 23 models - Coated carbon steel, 304/316 SS polypropylene MOC - Slant Plate media - Horizontal sludge thickener - Many options and configurations - Highly customizable 	 panamenv.com/qr/spc-t
<p>SPC-P type</p>		<ul style="list-style-type: none"> - Sizes 20-4000 Ft² - 27 models - Coated carbon steel, 304/316 SS polypropylene MOC - Slant Plate media - Horizontal sludge thickener - Many options and configurations - Highly customizable 	 panamenv.com/qr/spc-p
<p>SPC-S type</p>		<ul style="list-style-type: none"> - Sizes 20-4000 Ft² - 30 models - Coated carbon steel, 304/316 SS polypropylene MOC - Slant Plate media - Horizontal sludge thickener - Many options and configurations - Highly customizable 	 panamenv.com/qr/spc-s

Systems & Solutions cont'd

Categories & Models

Slant Plate Clarifiers

Clarisep Systems



- Oil & solids removal
- Many sizes
- ChemClear & dosing package
- Dewatering package
- Effluent filtration package
- Influent feed package
- Sludge pump package
- Intell-i-Touch controls/sensing platform
- Many options and configurations
- Highly customizable



panamenv.com
/qr/clarisep

SPC Polypropylene



panamenv.com
/qr/spc-poly

ChemClear CT Systems (for SPC and DAF product lines)

CT-CpF

- Flash/flocculation
- Coagulation/flocculation
- Coagulation/pH/flocculation
- Oxidation operations
- Precipitation
- Emulsion cracking
- pH Neutralization (pre & post)
- Rectangular reactors



- Coagulation/pH with flocculation
- 1,2,3 + chemical metering package
- Tanks: Coated carbon steel, 304/316 SS, polypropylene, polyethylene, FRP
- Polymer makedown package
- Coagulant makeup package
- pH transmitter
- Intell-i-Touch controls/sensing platform
- Many options and configurations
- Highly customizable
- Tanks: Rectangular and round



panamenv.com
/qr/ct-cpf

Systems & Solutions cont'd

Categories & Models




ChemClear CT Systems

CT - Round reactors		<ul style="list-style-type: none"> - Coagulation/pH with flocculation - 1,2,3 + chemical metering package - Tanks: Coated carbon steel, 304/316 SS, polypropylene, polyethylene, FRP - Polymer makedown package - Coagulant makeup package - pH transmitter - Intell-i-Touch controls/sensing platform - Many options and configurations - Highly customizable - Tanks: Rectangular and round 	 panamenv.com/q/ct
CT-Poly - Polyethylene reactors - Polypropylene reactors - Mixer/pump bridges		<ul style="list-style-type: none"> - Polymer makedown - Mixer bridges - Diaphragm pumps - Progressive cavity pumps - Coagulant makeup package - Intell-i-Touch controls/sensing platform - Many options and configurations - Highly customizable 	 panamenv.com/q/ct-poly
STAX - Pipe flocculation - Flash/flocculation - Coagulation/flocculation - Calculated mixing energy		<ul style="list-style-type: none"> - Pipe flocculator - 1,2,3 + chemical metering package - PVC, polypropylene, 304/316 SS - Polymer makedown package - Coagulant makeup package - Intell-i-Touch controls/sensing platform - Many options and configurations - Highly customizable 	 panamenv.com/q/stax
Chemical Feed		<ul style="list-style-type: none"> - Variety of pump types - Diaphragm pumps - Progressive cavity or AOD pumps - Polymer makedown package - Coagulant makeup package - Class 1 Div 1 environments - Intell-i-Touch controls/sensing platform - Many options and configurations - Highly customizable 	 panamenv.com/q/chem-feed

Systems & Solutions cont'd

Categories & Models

Dissolved Air Flotation (DAF)

<p>DAF Systems</p>		<ul style="list-style-type: none"> - Sizes 5-2000 GPM - ChemClear & dosing package - Dewatering package - Effluent filtration package - Influent feed package - Sludge/float pump package - Intell-i-Touch controls/sensing platform - Walkway - Skid mounted designs - Many options and configurations - Highly customizable 	 <p>panamenv.com /qr/daf</p>
<p>DAF-P type</p>		<ul style="list-style-type: none"> - Inverted pyramid hopper design - Lamella plate packs - RSS recycle package - Surface drag skimmer - Sludge auger - 304 SS MOC - Intell-i-Touch controls/sensing platform - Many options and configurations - Highly customizable 	 <p>panamenv.com /qr/daf-p</p>
<p>DAF-H type</p>		<ul style="list-style-type: none"> - Hopper bottom tank design - RSS recycle package - Surface drag skimmer - DAF5-50 are 304 SS MOC - Intell-i-Touch controls/sensing platform - Many options and configurations - Highly customizable 	 <p>panamenv.com /qr/daf-h</p>

Systems & Solutions cont'd

Categories & Models

Dissolved Air Flotation (DAF)

DAF-V type Systems




- V hopper bottom tank design
- RSS recycle package
- Surface drag skimmer
- Sludge auger
- DAF5-50 are 304 SS MOC
- Intell-i-Touch controls/sensing platform
- Many options and configurations
- Highly customizable



panamenv.com
/lqr/da-f

DAF-F type



- Flat bottom tank design
- RSS recycle package
- Surface drag skimmer
- DAF5-50 are 304 SS MOC
- Intell-i-Touch controls/sensing platform
- Many options and configurations
- Highly customizable



panamenv.com
/lqr/da-f

RSS

Recycle Saturation
Systems

- Sized for each application
- Retrofit existing DAFs
- Many sizes
- Calculated sizing





panamenv.com
/lqr/rss

Systems & Solutions cont'd

Categories & Models

Plate Dissolved Air Flotation (PD)

<p>PD Systems</p>		<ul style="list-style-type: none"> - Sense and log - Float Pump - Advanced instrumentation - Advanced analytics - Dewatering system - Sensor LifeTracker - Safety shutdowns - STAX flocculation tube system - Vapor covers - Explosion proof system designs - Containerization - Field Skidding - Pilot testing skid design - Intell-i-Watch monitoring system 	 <p>panamenv.com /qr/pd</p>
<p>PD DAF</p>		<ul style="list-style-type: none"> - Inverted pyramid hopper design - Lamella plate packs - RSS recycle system - Float hopper - Sludge hopper - 304 SS MOC - Surface drag skimmer - Many options and configurations - Intell-i-Touch control platform 	 <p>panamenv.com /qr/pd-daf</p>
<p>PDHR</p>		<ul style="list-style-type: none"> - High flow rates of 675-2000 GPM - Highly customizable - Sense and log - Float pump - Advanced instrumentation - Dewatering system - Sensor LifeTracker - Safety shutdowns - STAX flocculation tube system - Intell-i-Watch monitoring system 	 <p>panamenv.com /qr/pdhr</p>
<p>PDHF</p>		<ul style="list-style-type: none"> - Flow rates of 100-500 GPM - Highly customizable - Sense and log - Float pump - Advanced analytics - Dewatering system - Sensor LifeTracker - Safety shutdowns - STAX flocculation tube system - Intell-i-Watch monitoring system 	 <p>panamenv.com /qr/pdhf</p>

Systems & Solutions cont'd

Categories & Models

pH Neutralization

pH Box Systems



- Integrated into a shippable building
- Dosing package
- Individual or combined reactors
- Monitor tank
- Out of spec redirect for retreat
- Effluent pump package
- Tested and ready to run
- Intell-i-Touch automated controls & sensing platform, datalogging
- Many options and configurations
- Highly customizable



EpH type Mini systems



- Individual pH neutralizer
- 1 & 2 chemical metering package
- MOC: Polyethylene, 304/316 SS
- pH controller/pH sensor
- Analog output
- Intell-i-Touch controls/sensing platform (optional)
- Compact
- Simple to install and operate
- Low electrical consumption
- Many options and configurations
- Highly customizable



- Duplex monitoring & adjustment
- Final check assurance
- Datalogging system
- Intell-i-Touch controls/sensing platform (optional)
- Many options and configurations
- Highly customizable

Systems & Solutions cont'd

Categories & Models

Emulsion Breaking

EC Systems



- Sizes 5-1000 GPM
- Triple dosing package
- Two ChemClear reactors
- Oil water separation chamber
- pH adjusted for discharge
- Dual mixers
- Intell-i-Touch automated controls & sensing platform, datalogging
- Many options and configurations
- Highly customizable



Batch Treatment

BTS Chemical based reaction systems for fixed waste volumes



- Sizes 50-5000 gallon
- ChemClear dosing package
- Single/duplex reactors
- Dewatering filter
- pH adjusted for discharge
- Reaction mixer
- pH transmitter & others
- Intell-i-Touch automated controls & sensing platform, datalogging
- Many options and configurations
- Highly customizable for many waste types




Systems & Solutions cont'd

Categories & Models

Bilge Oily Wastewater Treatment System (BOWTS)

BOWTS

Turn Key Systems



- Treats ships bilge in low & high volume and flow rates
- Sizes 5-2000 GPM
- Shoreside installations
- Single & dual train
- ChemClear makeup & dosing package
- Dewatering package
- Effluent filtration package
- Influent feed package
- Sludge/float pump package
- Intell-i-Touch automated controls/sensing platform
- Walkways
- Skid mounted designs
- Many options and configurations
- Highly customizable



Vehicle Wash Treatment Systems

VEW

Systems



- Sizes 5-1000 GPM
- Oil, TSS, metals removal
- Intell-i-Touch automated controls & sensing platform, datalogging
- Many options and configurations
- Highly customizable



Systems & Solutions cont'd

Categories & Models

Vehicle Wash Treatment Systems cont'd

Filterpac Wash water filtration package	<i>Photo to come</i>	<ul style="list-style-type: none"> - Feed pump, BF bag filter & ZeoMaxx polishing filter - Flow rates 5-500 GPM - Removes oils, fuels, metals, BTEX, VOCs, fluoride, ammonia - MOC: FRP, aluminum, 304/316 SS, polypropylene/polyethylene - Discharge to sewer or reuse - Small footprint - Highly customizable 	 panamenv.com/qr/filterpac
IFS Influent Feed System	<i>Photo to come</i>	<ul style="list-style-type: none"> - Air operated diaphragm pump - Air control/preparation assembly - Level switches, skid & controls - Flow rates 2-150 GPM, 3 sizes - MOC: Aluminum/Buna-N, 304/316 SS, polypropylene - Handles solids: feed or sludge pumpout 	 panamenv.com/qr/ifs
Microstax Coagulation/flocculation	<i>Photo to come</i>	<ul style="list-style-type: none"> - Flocculation pipe stack, injection quills, chemical pumps & controls - Increases Clarisep solids removal - Flow rates 5-500 GPM - MOC: PVC, 304/316 SS - Less energy use than mixer tanks 	 panamenv.com/qr/microstax
Mudblaster Mud & debris removal	<i>Photo to come</i>	<ul style="list-style-type: none"> - High volume, low pressure (200 psi) - Removes caked-on mud before washing - Pump, hose & valve assembly, storage tank, controls - Flow rates 20-50 GPM - MOC: Coated carbon steel, 304/316 SS, polyethylene - Heavy equipment, mining & aircraft washdown 	 panamenv.com/qr/mudblaster
PSM Pressurization System Management	<i>Photo to come</i>	<ul style="list-style-type: none"> - Stores & pressurizes fresh or treated water - Pressure washer supply & feed - Flow rates 5-250+ GPM - MOC: Coated carbon steel, 304/316 SS, polyethylene - Industrial wastewater recycling - Highly customizable 	 panamenv.com/qr/psm
Wash Bay Solutions Wash pad & sump designs	<i>Photo to come</i>	<ul style="list-style-type: none"> - Captures solids, controls runoff, collects & settles - Pumpout point to feed treatment - Concrete construction - Single bays to military wash racks & aircraft facilities - Any size facility 	 panamenv.com/qr/washbay

Systems & Solutions cont'd

Categories & Models

ZeoMaxx Filtration Systems

ZeoMaxx

Systems

Remove:

- PFOS/PFAS
- TSS, metals
- VOCs
- BTEX
- PCBs
- TCE
- MBAS
- O&G
- Phosphorus
- Ammonium
- Many, many more



- Parallel/series systems
- Prefiltration package
- Influent feed package
- Sensor package
- Intell-i-Touch automated controls/sensing platform
- Skid mounted designs
- Many options and configurations
- Highly customizable
- 16 media to choose from
- FRP, steel, 304/316 SS MOC
- Place in series for multiple contaminant removal



panamenv.com
/qr/zeomaxx

Bag Filtration Systems

BF

Systems



- Sizes 5-2000 GPM
- TSS removal
- Intell-i-Touch automated controls & sensing platform, datalogging
- Skid mounted or single
- Valved & piped
- Pressure gauges
- Coated steel, 304/316 SS, aluminum, PVC MOC
- Many options and configurations
- Highly customizable



panamenv.com
/qr/bf

Systems & Solutions cont'd

Categories & Models

Sludge Dewatering Systems

Filter press

Systems

Remove:

- Water from sludge
- Reduce disposal cost



- Filter press
- Sludge feed package
- Sludge tank
- Intell-i-Touch automated controls/sensing platform
- Skid mounted designs
- Elevation platforms
- Cake carts
- Many options and configurations
- Highly customizable
- steel, 304/316 SS MOC



panamenv.com
/qr/filter-press

Pumping Systems

Pump

Systems



- All flow rates, pump types
- Influent feed
- Sludge pumpout
- Oil pumpout
- DAF float pumpout
- Effluent pumpout
- Intell-i-Touch automated controls & sensing platform, datalogging
- Skid mounted
- Valved & piped
- Many options and configurations
- Highly customizable



panamenv.com
/qr/pumps

SuperAerator

Systems

- EnBio/air injection
- Pit/tank O&G/odor reduction



- O&G, odor reduction
- EnBio bacterial injection
- Wall mount enclosure
- Aeration
- Chemical injection pump



panamenv.com
/qr/superaerator

Systems & Solutions cont'd

Categories & Models

Intell-i-Touch Control Systems

Intell-i-Touch

Controls Systems
- Advanced control logic
- UIT User Interface
Touchscreens
- Controller based
- Smart components
- Intuitive navigation screens



- Control of all sub systems sensors and devices
- Touchscreen/smart phone/tablet interface
- Feed back datalogging
- Ethernet communications
- Cybersecurity
- Alarms & alerts
- Trending, graphing, analysis
- Many options and configurations
- Highly customizable



panamenv.com
/qr/intell-i-touch

Sensors

For all systems



- pH/ORP
- Chlorine
- Flow
- Sludge/water level
- Temperature/pressure
- Metals
- Oils
- Ion selective (wide variety)
- DO
- TSS/TDS/Turbidity
- Conductivity
- Many more



panamenv.com
/qr/sensors

Intell-i-Watch

Monitoring Systems
- Single/multi-point sensing
- Advanced control logic
- UIT User Interface
Touchscreens
- Controller based
- Smart components
- Menu navigation screens




- Monitor wastestream with any of our sensors
- Feedback datalog
- Alert/alarm local/remote
- Ethernet communications
- Cybersecurity
- Trending, graphing, analysis
- Many options and configurations
- Highly customizable
- Interface with devices for custom actions



panamenv.com
/qr/intell-i-watch

Control Panels

System controls



- NEMA 4, 4X & 7 designs
- Controllers/UIT and relay based designs
- Control of all devices in our treatment systems
- Purge panels
- Class 1 div 1 or 2
- Customization provided
- Implement Intell-i-Touch
- MCC designs offered



panamenv.com
/qr/panels

Systems & Solutions cont'd

Categories & Models

Mobile Systems

Trailer Mount

- Open or enclosure trailers
- Pumps, plumbed
- Controls provided



- Control of all sub systems sensors and devices
- Touchscreen/smart phone/tablet interface
- Feed back datalogging
- Ethernet communications
- Cybersecurity
- Alarms & alerts
- Trending, graphing, analysis
- Many options and configurations
- Highly customizable



panamenv.com
/qr/trailer

Containerized

- For all systems
- Standard & Hi Cube
 - 20', 40', 45' Conex



- Customized to project
- Lighting/local 115V power
- Plumbed/valved
- Controls
- Heating, venting, cooling
- Doors/windows added
- Generators
- Many options and customization available



panamenv.com
/qr/container

Skidded

- Oil field skidding
- Standard forklift skids
- Multi-sectioned
- Custom



- Skidding of tanks
- Custom designs
- Industry standards
- Galvanized, coated, stainless
- Customizable
- Leveling package




panamenv.com
/qr/skid

Triple Basins & Lift Stations

TB

- Uses (partial):
- Below grade installation
 - Collection & lift station
 - Oils & solids reduction
 - Aeration & EnBio addition
 - Dewatering water return
 - Pretreatment to treatment
 - pH retreatment collection for out-of-spec water



- Collect water from washpads and plant discharges
- Lift stations with pumps
- Pretreatment to processes
- Oils & solids removal
- In ground pH neutralization & other treatment
- FRP construction
- Direct burial designs



panamenv.com
/qr/tb

Systems & Solutions cont'd

Categories & Models

Oil Skimmer Systems

RS

Rotary Skimmer systems




- 2"- 20"D slotted pipe
- Manual or motorized drive
- 304/316SS, FRP, PVC MOC
- Customizable
- Controls provided for motor driven systems



panamenv.com
/qr/rs

Drum

Systems



- Sizes 6-12"D
- Adjustable skimmer blade
- 304/316 SS, PVC MOC
- Intell-i-Touch automated controls & sensing platform, datalogging
- Gearmotor drive



panamenv.com
/qr/drum

Laboratory Services

Lab work

Sample testing services



- Testing offered
- Jar testing
 - Oil water separation
 - Solids settling
 - DAF flotation
 - Filtration
 - Polymer/coagulant screening
 - Process design & verification
 - Pre/post analytical testing



panamenv.com
/qr/jar-test

Systems & Solutions cont'd

Categories & Models

Parts & Media

Replacement Parts

For Pan America
systems



- Pumps, rebuild kits & seals
- Valves & actuators
- Motors & mixers
- Chemical injection
- Instrumentation & sensors
- Monitoring equipment (Intell-i-Watch)
- System down? Call 262.716.0105, Mon-Fri 8:00 am-5:00 pm Central



panamenv.com
/qr/parts

Parts for Other Brands

Competitive equipment

Pan America Environmental also supplies parts for competitive equipment including the following companies and many others (some of which are no longer active in the market):

Ellis Corp, Ecologix Technology, Great Lakes Environmental, MW Watermark, Watermaze, Metchem, Mi-T-M, Oldcastle, Parkson, Lancy, Hydroquip, Hydro-Flo Technologies


Company names are trademarks of their respective owners. Pan America Environmental is not affiliated with these companies.



panamenv.com
/qr/other-brands

Coalescing Media

Replacement & retrofit



- Flopak: Coalescing Media - Low Solids
- HDQPak: Coalescing Media - High Solids
- PVC construction, 1/2", 3/4" and 1.2" spaced plate
- Replacement packs for any brand's separators
- Concrete tank retrofits



panamenv.com
/qr/media

Media Pack Builder

Online quote request



- Request a quote for a custom media pack
- Sized to fit your existing separator
- Flopak, HDQPak & other media types



panamenv.com
/qr/media-builder

Systems & Solutions cont'd

Categories & Models

Services

Compliance Help

Out of compliance?

Told by EPA or local authorities that your wastewater must be treated before discharge? We offer guidance and treatment systems where applicable, backed by in-house jar testing.
Our focus is industrial wastewater.



panamenv.com
/qr/compliance

Rental & Pilot Systems

Test before you buy

We design and build pilot systems for testing processes and equipment.
Treatment systems may be available for rent. Contact us to inquire.



panamenv.com
/qr/rental

More Online

Case Studies

Project stories

Real projects by industry and system: the challenge, the treatment train and the results.



panamenv.com
/qr/case-studies

Product Literature & Downloads

Brochures, case studies, specifications, engineering briefs, technical notes and quick guides.



panamenv.com
/qr/literature

Become a Rep

Independent sales reps

Pan America Environmental is looking for independent sales representatives in all territories, US and worldwide.



panamenv.com
/qr/become-a-rep

Questions? Call 262.716.0105 | Monday-Friday, 8:00 am-5:00 pm Central | info@panamenv.com